				Atty. Docket	Vo.	Se	rial No.
				SONN:013US	MBW	10	/014,927
List of Patents and Publications for Applicant's  NFORMATION DISCLOSURE STATEMENT				Applicant			
				Andrea Barta	Andrea Barta et al.		
الس سا	ORMATIO	N DISCLOSURE S	TATEMENT	Pilling Dada		<u> </u>	
DOE TO	(Use s	everal sheets if necessa	ıry)	Filing Date:	101		roup:
STLS Patent Documents Foreign Patent Documents Other Art							
ADEMIN	See P		_	See Page 1	.		See Page 1
	<u> </u>		<del></del>				3
			U.S. Pat	ent Docume	ents		
Exam. Init.	Ref. Des.	Document Number	Date	Name	Class	Sub Clas	
***		F	oreign Pa	atent Docum	nents	; 	
Exam. Ref. Document Date Country Class Sub Translation Class Yes/No.							
(	Other /	Art (Includir	ng Author	, Title, Date	Pert	inent F	Pages, Etc.)
Exam. Ref. Des.  C1 Allain et al., "Structural basis of the RNA-binding specificity of human U1A protein," EMBO J., 16:5764-5774, 1997.							
						10	/
15	C1 /	J., 16:5764-5774, Amrein et al., "Tl	1997. ne role of specif				nteractions in positive 5:735-746, 1994.
15	/	Amrein et al., "TI and negative cont	1997.  ne role of specification of pre-mRN  Alternative splice	fic protein-RNA an A splicing by trans	sformer 2	2," <i>Cell</i> , 76	5:735-746, 1994. generation of multiple
<b>b</b>	C2	J., 16:5764-5774, Amrein et al., "Tl and negative cont Breitbart et al., "A protein isoforms i	ne role of specia rol of pre-mRN Alternative splic from single gen ner, "Functiona	fic protein-RNA and A splicing by transcring: a ubiquitous res," Ann. Rev. Biocolanalysis of pre-ml	sformer 2 nechanis chem., 56	2," Cell, 76 om for the g 5:467-495,	5:735-746, 1994. generation of multiple
15 	C2 /	Amrein et al., "The and negative contour Breitbart et al., "A protein isoforms to Caceres and Krain domains," EMBO	ne role of specirol of pre-mRN Alternative splic from single gen ner, "Functiona J., 12:4715-47 specific subset	fic protein-RNA and A splicing by transcing: a ubiquitous res," Ann. Rev. Biocolanalysis of pre-ml 26, 1993.  of SR proteins shu	sformer 2 mechanis chem., 56 RNA spl	m for the good field from for the good field from factors.	5:735-746, 1994. generation of multiple 1987. or SF2/ASF structural
<b>b</b>	C2 / C3 /	J., 16:5764-5774, Amrein et al., "The and negative contour Breitbart et al., "A protein isoforms in Caceres and Krain domains," EMBO Caceres et al., "A the cytoplasm," G	ne role of specification of pre-mRN Alternative splication single gener, "Functiona J., 12:4715-47 specific subset Genes & Dev., 1 egulation of alternative specific subset Genes & Dev., 1	fic protein-RNA and A splicing by transcing: a ubiquitous res," Ann. Rev. Biood analysis of pre-ml 26, 1993.  of SR proteins shu 2:55-66, 1998.	sformer in the second section in the second section in the second	m for the good for	5:735-746, 1994. generation of multiple 1987. or SF2/ASF structural
<b>b</b>	C2 / C3 / C4 / C5 /	J., 16:5764-5774, Amrein et al., "Tl' and negative cont Breitbart et al., "A protein isoforms for a domains," EMBO  Caceres et al., "A the cytoplasm," Gaceres et al., "Resplicing factors," Caceres et al., "Resplicing factors," and Caceres e	ne role of specia rol of pre-mRN Alternative splic from single gen ner, "Functiona J., 12:4715-47 specific subset Genes & Dev., 1 egulation of alte Science, 265:17	fic protein-RNA and A splicing by transfers; a ubiquitous res," Ann. Rev. Biocolanalysis of pre-ml 26, 1993.  of SR proteins shu 2:55-66, 1998.  ernative splicing in 706-1709, 1994.	nechanischem., 56 RNA splattles con Vivo by	m for the good for	5:735-746, 1994.  generation of multiple 1987.  or SF2/ASF structural  between the nucleus ar
<b>b</b>	C2 / C3 / C4 / C5 / C6 /	J., 16:5764-5774, Amrein et al., "Tl' and negative cont Breitbart et al., "A protein isoforms to Caceres and Krain domains," EMBO Caceres et al., "A the cytoplasm," O Caceres et al., "Resplicing factors," Caceres et al., "Caceres et al., "Caceres et al., "Caceres et al., "Caceres et al.," Caceres et	ne role of special rol of pre-mRN Alternative splication single genuer, "Functional J., 12:4715-47 specific subset Senes & Dev., 1 regulation of alternation of the module specificity," J. haracterization	fic protein-RNA and A splicing by transfers; a ubiquitous res," Ann. Rev. Biocolor analysis of pre-ml 26, 1993.  of SR proteins shu 2:55-66, 1998.  ernative splicing in 706-1709, 1994.  lar domains of SR I. Cell Biol., 138:22	nechanischem., 56 RNA splattles con Vivo by proteins 25-238, 1 human s	in subnucles  in subnucles  plicing factor  in subnucles  plicing factor  in subnucles	generation of multiple 1987.  or SF2/ASF structural between the nucleus ar ession of antagonistic lear localization and ottor 9G8: a novel 35 kI

DATE CONSIDERED: 3 **EXAMINER:** EXAMINER: INITIAL IF REFERENCE CONSIDERED, WHETHER OR NOT CITATION IS IN CONFORMANCE WITH MPEP609; DRAW LINE THROUGH CITATION IF NOT IN CONFORMANCE AND NOT CONSIDERED. INCLUDE COPY OF THIS FORM WITH NEXT COMMUNICATION TO APPLICANT.

25115073.1

Form P	TO-1449 (modified)		Atty. Docket No. SONN:013US/MBW	Serial No. 10/014,927	
	atents and Publications for ORMATION DISCLOSURE S		Applicant Andrea Barta et al.		
S TOTAL EST	(Use several sheets if necessa	ry)	Filing Date: October 23, 2001	Group: Unknown	
ATENI & THE	S. Patent Documents See Page 1	1	Patent Documents See Page 1	Other Art See Page 1	

## Other Art (Including Author, Title, Date Pertinent Pages, Etc.)

Exam. Init.	Ref. Des.	Citation
<b>b</b>	C10	Diamond et al., "Novel delayed-early and highly insulin-induced growth response genes," J. Biol. Chem., 268:15185-15192, 1993.
	C11	Dietrich et al., "A novel zinc finger protein is encoded by the arabidopsis LSD1 gene and functions as a negative regulator of plant cell death," Cell, 88:685-694, 1997.
	C12 /	Ditta et al., "Broad host range DNA cloning system for Gram-negative bacteria: construction of a gene bank of Rhizobium meliloti," Proc. Natl. Acad. Sci. USA, 77:7347-7351, 1980.
	C13 \	Fu and Maniatis, "Isolation of a complementary DNA that encodes the mammalian splicing factor SC35," Science, 256:535-538, 1992.
	C14 V	Fu, "Specific commitment of different pre-mRNAs to splicing by single SR proteins," <i>Nature</i> , 365:82-85, 1993.
	C15 🗸	Fu, "The superfamily of arginine/serine-rich splicing factors," RNA, 1:663-680, 1995.
	C16	Ge and Manley, "A protein factor, ASF, controls cell-specific alternative splicing of SV40 early Pre-mRNA in vitro," Cell, 62:25-34, 1990.
	C17 /	Ge et al., "Primary structure of the human splicing factor ASF reveals similarities with Drosophila regulators," Cell, 66:737-382, 1991.
	C18	Hanamura et al., "Regulated tissue-specific expression of antagonistic pre-mRNA splicing factors," RNA, 4:430-444, 1998.
	C19.	Hedley et al., "An amino acid sequence motif sufficient for subnuclear localization of an arginine/serine-rich splicing factor," Proc. Natl. Acad. Sci. USA, 92:11524-11528, 1995.
	C20 \	Jumaa et al., "Regulated expression and RNA processing of transcripts from the Srp20 splicing factor gene during the cell cycle," Mol. Cell Biol., 17:3116-3124, 1997.
	C21 /	Kim et al., "The Drosophila RNA-binding protein RBP1 is localized to transcriptionally active sites of chromosomes and shows a functional similarity to human splicing factor ASF/SF2," — Genes & Dev., 6:2569-2579, 1992
	C22 /	Kohtz et al., "Protein-protein interactions and 5'-splice-site recognition in mammalian mRNA precursors," Nature, 368:119-124, 1994.
	C23 /	Krainer et al., "Purification and characterization of pre-mRNA splicing factor SF2 form HeLa cells," Genes & Dev., 4:1158-1171, 1990.

? | cells," Genes & Dev., 4:1158-1171, 1990.

Examiner Date Considered: 3/24/00	

EXAMINER: INITIALIF REFERENCE CONSIDERED, WHETHER OR NOT CITATION IS IN CONFORMANCE WITH MPEP609; DRAW LINE THROUGH CITATION IF NOT IN CONFORMANCE AND NOT CONSIDERED. INCLUDE COPY OF THIS FORM WITH NEXT COMMUNICATION TO APPLICANT.

Form PTO-1449 (modified)		Atty. Docket No.	Serial No.	
		SONN:013US/MBW	10/014,927	
ist of Patents and Publications for	Applicant's	Applicant		
		Andrea Barta et al.		
INFORMATION DISCLOSURE S	TATEMENT	1		
INFORMATION DISCLOSURE STATEMENT		Filing Date:	Group:	
(Use several sheets if necessa	October 23, 2001		Unknown	
U.S. Patent Documents	Foreign	Patent Documents	Other Art	
	S	See Page 1	See Page 1	
See Page 1				
Other Art (Including	Na Author	Title Date Dartin	ant Dames Etc	
Other Art (including	ig Author	, Title, Date Pertin	ent Pages, Etc	

Exam. Init.						
S	C24 /	Krainer et al., "The essential pre-mRNA splicing factor SF2 influences 5' splice site selection by activating proximal sites," Cell, 62:35-42, 1990.				
	C25	Li and Bingham, "Arginine/serine-rich domains of the su(w*) and tra RNA processing regulators target proteins to a subnuclear compartment implicated in splicing," Cell, 67:335-342, 1991.				
	C26	Lopato et al., "at SRp30, one of two SF2/ASF-like proteins from Arabidopsis thaliana, regulates splicing of specific plant genes," Genes & Dev., 13:987-1001, 1999.				
	C27 /	Lou et al., "An intron enhancer recognized by splicing factors activates polyadenylation,"  Genes & Dev., 10:208-219, 1996.				
	C28	Manley and Tacke, "SR proteins and splicing control," Genes & Dev., 10:1569-1579, 1996.				
	C29.	Mayeda and Krainer, "Regulation of alternative pre-mRNA splicing by hnRNP A1 and splicing factor SF2," Cell, 68:365-375, 1992.				
	.C30	Mayeda et al., "Function of conserved domains of hnRNP A1 and other hnRNP A/B proteins," EMBO J., 13:5483-5495, 1994.				
	C31 V	Mayeda et al., "Two members of a conserved family of nuclear phosphoproteins are involved in pre-mRNA splicing," Proc. Natl. Acad. Sci. USA, 89:1301-1304, 1992.				
	C32 V	Morrison et al., "smg mutants affect the expression of alternatively spliced SR protein mRNAs in Caenorhabditis elegans," Proc. Natl. Acad. Sci. USA, 94:9782-9785, 1997.				
	C33_/	Ramchatesingh et al., "A subset of SR proteins activates splicing of the cardiac troponin T alternative exon by direct interactions with an exonic enhancer," Mol. Cell. Biol., 4898-4907, 1995.				
	C34	Roth et al., "A conserved family of nuclear phosphoproteins localized to sites of polymerase II transcription," J. Cell Biol., 115:587-596, 1991.				
	C35	Screaton et al., "Identification and characterization of three members of the human SR family of pre-RNA splicing factors," EMBO J., 14:4336-4349, 1995.				
	C36 -	Staknis and Reed, "SR proteins promote the first specific recognition of pre-mRNA and are present together with the U1 small nuclear ribonucleoprotein particle in a general splicing enhancer complex," Mol. Cell Biol., 14:7670-7682, 1994.				

EXAMINER:

DATE CONSIDERED:

EXAMINER: INITIAL IF REFERENCE CONSIDERED, WHETHER OR NOT CITATION IS IN CONFORMANCE WITH MPEP609; DRAW LINE THROUGH CITATION IF NOT IN CONFORMANCE AND NOT CONSIDERED, INCLUDE COPY OF THIS FORM WITH NEXT COMMUNICATION TO APPLICANT.

Form	PTO-1449 (modified)		Atty. Docket No.  SONN:013US/MBW  Serial No. 10/014,927  Applicant Andrea Barta et al.		
(5)	f Patents and Publications for NFORMATION DISCLOSURE S				
EB 15 ME	(Use several sheets if necessa		Filing Date: October 23, 2001	Group: Unknown	
CATENTA TRADELLE	U.S. Patent Documents Foreign See Page 1		Patent Documents See Page 1	Other Art See Page 1	

## Other Art (Including Author, Title, Date Pertinent Pages, Etc.)

Exam. Init.	Ref. Des.	Citation
$\overline{\mathcal{L}}$	C37	Sun et al., "General splicing factor SF2/ASF promotes alternative splicing by binding to an exonic splicing enhancer," Genes & Dev., 7:2598-2608, 1993.
	C38	Tacke and Manley, "The human splicing factors ASF/SF2 and SC35 possess distinct, functionally significant RNA binding specificities," <i>EMBO J.</i> , 14:3540-3551, 1995.
	C39 ,	Tian and Maniatis, "A splicing enhancer complex controls alternative splicing of doublesex premRNA," Cell, 74:105-114, 1993.
	C40	Valcarcel and Green, "The SR protein family: pleiotropic functions in pre-mRNA splicing," /- Trends Biochem., 21:296-301, 1996.
	C41_	Vellard et al., "A potential splicing factor is encoded by the opposite strand of the trans-spliced c-myb exon," Proc. Natl. Acad. Sci. USA, 89:2511-2515, 1992.
	C42 ,/	Wang and Manley, "Overexpression of the SR proteins ASF/SF2 and SC35 influences alternative splicing in vivo in diverse ways," RNA, 1:335-346, 1995.
	C43 6	Wu and Maniatis, "Specific interactions between proteins implicated in splice site selection and regulated alternative splicing," Cell, 75:1061-1070, 1993.
	C44 V	Yang et al., "The A1 and A1 <sup>B</sup> proteins of heterogeneous nuclear ribonucleoparticles modulate 5' splice site selection in vivo," <i>Proc. Natl. Acad. Sci. USA</i> , 91:6924-6928, 1994.
	C45_	Zahler et al., "Distinct functions of SR proteins in alternative pre-mRNA splicing," Science, 260:219-222, 1993.
	C46 L	Zahler et al., "SR proteins: a conserved family of pre-mRNA splicing factors," Genes & Dev., 6:837-847, 1992.
	C47	Zuo and Maniatis, "The splicing factor U2AF <sup>35</sup> mediates critical protein-protein interactions in constitutive and enhancer-dependent splicing," Genes & Dev., 10:1356-1368, 1996.
	C48	Zuo and Manley, "Functional domains of the human splicing factor ASF/SF2," EMBO J., 12:4727-4737, 1993.
	C49	Zuo and Manley, "The human splicing factor ASF/SF2 can specifically recognized pre-mRNA 5' splice sites," Proc. Natl. Acad. Sci. USA, 91:3363-3367, 1994.

25115073.1	0	/	1			Δ
Examiner:	$\mathcal{A}$	MA	Boym	DATE CONSIDERED:	31	24/04
EXAMINER: INITIAL CITATION IF NOT IN C	IF RE	EFERENCE CONSIDERMANCE AND NOT	ERED, WHETHER OR NOT CIT. CONSIDERED. INCLUDE COP	ATION IS IN CONFORMANCE WITH I Y OF THIS FORM WITH NEXT COMM	MPEP60! UNICATI	9; Draw line through on to applicant.